IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

STEPHEN G. NELSON

For:

"One-Way See-Thru Panel & Method of Making Same"

the specification of which is attached hereto.

Assistant Commissioner for Patents Washington, D.C. 20231

AMENDMENT ACCOMPANYING NEW APPLICATION TRANSMITTAL

Please amend the new application submitted herewith as follows:

CANCEL CLAIMS 8 TO 10

ADD THE ATTCHED NEW CLAIMS 11 TO 15

Joseph H. Roediger, Reg. No. 22,715

XELSON & ROEDIGER

3333 E. Camelback Road, Suite 212

Phoenix, AZ 85018

CERTIFICATION UNDER 37 C.F.R. 1.10* (Express Mail label number is mandatory.)

(Express Mail label number is mandatory., (Express Mail certification is optional.)

I hereby certify that this paper is being deposited with the United States Postal Service on this date 75 COO in an envelope as "Express Mail Post Office to Addressee," Mailing Label Number EL 848982295 US addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

Stephanie L. Goff

(type or print name of person mailing paper)

Signature of person mailing paper

WARNING: Certificate of mailing (first class) or facsimile transmission procedures of 37 C.F.R. 1.8 cannot be used to obtain a date of mailing or transmission for this correspondence.

*WARNING: Each paper or fee filed by "Express Mail" must have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).

"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will **not** be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.

(Amendment Accompanying New Application Transmittal [4-4])

- 11. A method of producing printable signage material for application to a transparent surface, said method comprising:
 - (a) providing a plastic substrate having opposite first and second surfaces,
 said first surface being light colored and said second surface being dark
 colored;
 - (b) applying an ink encapsulating ink receptive coating to said first surface; and
 - (c) perforating said substrate to provide see through visibility when viewed from said second surface.
- 12. The method of Claim 11 wherein said substrate is selected from the group consisting of polyester, vinyl and polyolefin films.
- 13. The method of Claim 11 wherein said coating is selected from the group consisting clays, gels, resins and latex combination coatings.
- 14. The method of Claim 11 including the additional step of applying an adhesive and release liner to said second surface.

15. The method of Claim 11 wherein an image is applied to the first surface by ink jet application.